ELSEVIER

Neuroscience Letters 241 (1998) 186–188

Neuroscience Letters

Author Index to Volume 241

Adachi, T., see Mori, H., 99
Ahmed-Choudhury, J., see Messahel, S., 17
Altura, B.M., see Zheng, T., 139
Altura, B.T., see Zheng, T., 139
Andreassi II, J.L., Eggleston, W.B., Stewart, J.K., Phenylethanolamine *N*-methyltransferase mRNA in rat spleen and thymus, 75
Aoki, K., see Fukuhara, C., 115
Aparicio-Legarza, M.I., Davis, B., Hutson, P.H., Reynolds, G.P., Increased density of glutamate/*N*-methyl-D-aspartate receptors in putamen from schizophrenic patients, 143
Arai, T., see Mori, H., 99
Arendt, J., see Barnes, R.G., 9

Barnes, R.G., Deacon, S.J., Forbes, M.J., Arendt, J., Adaptation of the 6-sulphatoxymelatonin rhythm in shiftworkers on offshore oil installations during a 2-week 12-h night shift, 9
Basile, A.S., see Sei, Y., 180
Baum, L., see Chen, L., 33
Bensouilah, M., see Denizot, J.-P., 103
Berthoz, A., see Ivanenko, Y.P., 167
Bhat, R.V., see Engber, T.M., 95
Bian, D., Ossipov, M.H., Zhong, C., Malan, Jr., T.P., Porreca, F., Tactile allodynia, but not thermal hyperalgesia, of the hindlimbs is blocked by spinal transection in rats with nerve injury, 79
Biella, G., see Sotgiu, M.L., 127
Blume, A., Seifert, K., Lebrun, C.J., Möllenhoff, E., Gass, P., Unger, T., Herdegen, T., Differential time course of angiotensin-induced AP-1 and Krox proteins in the rat lamina terminalis and hypothalamus, 87
Bourdon, L., see Canini, F., 91
Bournaud, R., Hidalgo, J., Melliti, K., Shimahara, T., The action of diltiazem and gallopamil (D600) on calcium channel current and charge movement in mouse Purkinje neurons, 163
Brechenmacher, C., Larmet, Y., Feltz, P., Rodeau, J.-L., Cultured rat sensory neurones express functional tachykinin receptor subtypes 1, 2 and 3, 159

Canini, F., Bourdon, L., Dopamine involvement in thermoregulatory responses to heat in rats, 91
Cattaert, D., see Pearlstein, E., 37
Chan, Y.S., see Chen, L., 33
Chen, L., Baum, L., Ng, H.K., Chan, Y.S., Mak, Y.T., Woo, J., Chiu, H., Pang, C.P., No association detected between very-low-density lipoprotein receptor (VLDL-R) and late-onset Alzheimer's disease in Hong Kong Chinese, 33
Chiu, H., see Chen, L., 33
Clahsen, H., see Gross, M., 83
Clarac, F., see Pearlstein, E., 37
Clarke, I.J., see Scott, C.J., 29
Condés-Lara, M., see Larriva-Sahd, J., 119
Contreras, P.C., see Engber, T.M., 95
Conway, B.A., see Halliday, D.M., 5
Crivellato, E., Soldano, F., Travan, L., Fusaroli, P., Mallardi, F., Apposition of enteric nerve fibers to plasma cells and immunoblasts in the mouse small bowel, 123

Dalton, A.J., see Mehta, P.D., 13
Danek, A., see Köster, B., 135
Davis, B., see Aparicio-Legarza, M.I., 143
Deacon, S.J., see Barnes, R.G., 9
Denizot, J.-P., Kirschbaum, F., Schugardt, C., Bensouilah, M., Larval electroreceptors indicate a larval electric system in mormyrids, 103
Dennis, S.A., see Engber, T.M., 95
Deuschl, G., see Köster, B., 135

Eggleston, W.B., see Andreassi II, J.L., 75
Endo, N., see Mori, H., 99
Engber, T.M., Koury, E.J., Dennis, S.A., Miller, M.S., Contreras, P.C., Bhat, R.V., Differential patterns of regional c-Fos induction in the rat brain by amphetamine and the novel wakefulness-promoting agent modafinil, 95

Farmer, S.F., see Halliday, D.M., 5
Feltz, P., see Brechenmacher, C., 159
Forbes, M.J., see Barnes, R.G., 9
Fossom, L., see Sei, Y., 180
Fowler, S.C., see Stanford, J.A., 41
Fu, Y., Matta, S.G., Valentine, J.D., Sharp, B.M., Desensitization and resensitization of norepinephrine release in the rat hippocampus with repeated nicotine administration, 147
Fukuhara, C., Inouye, S.-I.T., Matsumoto, Y., Tsujimoto, G., Aoki, K., Masuo, Y., Pituitary adenylate cyclase-activating polypeptide rhythm in the rat pineal gland, 115
Fusaroli, P., see Crivellato, E., 123

Gass, P., see Blume, A., 87
Gillette, R.G., Kramis, R.C., Roberts, W.J., Suppression of activity in spinal nociceptive 'low back' neurons by paravertebral somatic stimuli in the cat, 45
Glocker, F.X., see Köster, B., 135
Gold, B.G., Yew, J.Y., Zeleny-Pooley, M., The immunosuppressant FK506 increases GAP-43 mRNA levels in axotomized sensory neurons, 25
Goping, G., see Sei, Y., 180
Guschlbauer, B., see Köster, B., 135

Halliday, D.M., Conway, B.A., Farmer, S.F., Rosenberg, J.R., Using electroencephalography to study functional coupling between cortical activity and electromyograms during voluntary contractions in humans, 5
Hattori, M., see Kunugi, H., 65

PII S0304-3940(98)00075-5

ELSEVIER

Neuroscience Letters 241 (1998) 186–188

Neuroscience Letters

Author Index to Volume 241

Adachi, T., see Mori, H., 99
Ahmed-Choudhury, J., see Messahel, S., 17
Altura, B.M., see Zheng, T., 139
Altura, B.T., see Zheng, T., 139
Andreassi II, J.L., Eggleston, W.B., Stewart, J.K., Phenylethanolamine *N*-methyltransferase mRNA in rat spleen and thymus, 75
Aoki, K., see Fukuhara, C., 115
Aparicio-Legarza, M.I., Davis, B., Hutson, P.H., Reynolds, G.P., Increased density of glutamate/*N*-methyl-D-aspartate receptors in putamen from schizophrenic patients, 143
Arai, T., see Mori, H., 99
Arendt, J., see Barnes, R.G., 9

Barnes, R.G., Deacon, S.J., Forbes, M.J., Arendt, J., Adaptation of the 6-sulphatoxymelatonin rhythm in shiftworkers on offshore oil installations during a 2-week 12-h night shift, 9
Basile, A.S., see Sei, Y., 180
Baum, L., see Chen, L., 33
Bensouilah, M., see Denizot, J.-P., 103
Berthoz, A., see Ivanenko, Y.P., 167
Bhat, R.V., see Engber, T.M., 95
Bian, D., Ossipov, M.H., Zhong, C., Malan, Jr., T.P., Porreca, F., Tactile allodynia, but not thermal hyperalgesia, of the hindlimbs is blocked by spinal transection in rats with nerve injury, 79
Biella, G., see Sotgiu, M.L., 127
Blume, A., Seifert, K., Lebrun, C.J., Möllenhoff, E., Gass, P., Unger, T., Herdegen, T., Differential time course of angiotensin-induced AP-1 and Krox proteins in the rat lamina terminalis and hypothalamus, 87
Bourdon, L., see Canini, F., 91
Bournaud, R., Hidalgo, J., Melliti, K., Shimahara, T., The action of diltiazem and gallopamil (D600) on calcium channel current and charge movement in mouse Purkinje neurons, 163
Brechenmacher, C., Larmet, Y., Feltz, P., Rodeau, J.-L., Cultured rat sensory neurones express functional tachykinin receptor subtypes 1, 2 and 3, 159

Canini, F., Bourdon, L., Dopamine involvement in thermoregulatory responses to heat in rats, 91
Cattaert, D., see Pearlstein, E., 37
Chan, Y.S., see Chen, L., 33
Chen, L., Baum, L., Ng, H.K., Chan, Y.S., Mak, Y.T., Woo, J., Chiu, H., Pang, C.P., No association detected between very-low-density lipoprotein receptor (VLDL-R) and late-onset Alzheimer's disease in Hong Kong Chinese, 33
Chiu, H., see Chen, L., 33
Clahsen, H., see Gross, M., 83
Clarac, F., see Pearlstein, E., 37
Clarke, I.J., see Scott, C.J., 29
Condés-Lara, M., see Larriva-Sahd, J., 119
Contreras, P.C., see Engber, T.M., 95
Conway, B.A., see Halliday, D.M., 5
Crivellato, E., Soldano, F., Travan, L., Fusaroli, P., Mallardi, F., Apposition of enteric nerve fibers to plasma cells and immunoblasts in the mouse small bowel, 123

Dalton, A.J., see Mehta, P.D., 13
Danek, A., see Köster, B., 135
Davis, B., see Aparicio-Legarza, M.I., 143
Deacon, S.J., see Barnes, R.G., 9
Denizot, J.-P., Kirschbaum, F., Schugardt, C., Bensouilah, M., Larval electroreceptors indicate a larval electric system in mormyrids, 103
Dennis, S.A., see Engber, T.M., 95
Deuschl, G., see Köster, B., 135

Eggleston, W.B., see Andreassi II, J.L., 75
Endo, N., see Mori, H., 99
Engber, T.M., Koury, E.J., Dennis, S.A., Miller, M.S., Contreras, P.C., Bhat, R.V., Differential patterns of regional c-Fos induction in the rat brain by amphetamine and the novel wakefulness-promoting agent modafinil, 95

Farmer, S.F., see Halliday, D.M., 5
Feltz, P., see Brechenmacher, C., 159
Forbes, M.J., see Barnes, R.G., 9
Fossom, L., see Sei, Y., 180
Fowler, S.C., see Stanford, J.A., 41
Fu, Y., Matta, S.G., Valentine, J.D., Sharp, B.M., Desensitization and resensitization of norepinephrine release in the rat hippocampus with repeated nicotine administration, 147
Fukuhara, C., Inouye, S.-I.T., Matsumoto, Y., Tsujimoto, G., Aoki, K., Masuo, Y., Pituitary adenylate cyclase-activating polypeptide rhythm in the rat pineal gland, 115
Fusaroli, P., see Crivellato, E., 123

Gass, P., see Blume, A., 87
Gillette, R.G., Kramis, R.C., Roberts, W.J., Suppression of activity in spinal nociceptive 'low back' neurons by paravertebral somatic stimuli in the cat, 45
Glocker, F.X., see Köster, B., 135
Gold, B.G., Yew, J.Y., Zeleny-Pooley, M., The immunosuppressant FK506 increases GAP-43 mRNA levels in axotomized sensory neurons, 25
Goping, G., see Sei, Y., 180
Guschlbauer, B., see Köster, B., 135

Halliday, D.M., Conway, B.A., Farmer, S.F., Rosenberg, J.R., Using electroencephalography to study functional coupling between cortical activity and electromyograms during voluntary contractions in humans, 5
Hattori, M., see Kunugi, H., 65

PII S0304-3940(98)00075-5

He, Y., Lee, T., Leong, S.K., Effect of 6-OHDA injection on the AMPA glutamate receptor subunits in the substantia nigra of Sprague–Dawley rats, 1
Heese, K., see Hock, C., 151
Herdegen, T., see Blume, A., 87
Hidalgo, J., see Bournaud, R., 163
Hirasawa, H., see Kunugi, H., 65
Hock, C., Heese, K., Müller-Spahn, F., Hulette, C., Rosenberg, C., Otten, U., Decreased trkA neurotrophin receptor expression in the parietal cortex of patients with Alzheimer's disease, 151
Hulette, C., see Hock, C., 151
Human brain potentials to violations in morphologically complex Italian words, 83
Hutson, P.H., see Aparicio-Legarza, M.I., 143

Inouye, S.-I.T., see Fukuhara, C., 115
Ishii, H., see Mori, H., 99
Israël, I., see Ivanenko, Y.P., 167
Isse, K., see Kunugi, H., 65
Ito, S.-I., Possible representation of somatic pain in the rat insular visceral sensory cortex: a field potential study, 171
Ivanenko, Y.P., Viaud-Delmon, I., Siegler, I., Israël, I., Berthoz, A., The vestibulo-ocular reflex and angular displacement perception in darkness in humans: adaptation to a virtual environment, 167

Köster, B., Lauk, M., Timmer, J., Winter, T., Guschlbauer, B., Glocker, F.X., Danek, A., Deuschl, G., Lücking, C.H., Central mechanisms in human enhanced physiological tremor, 135
Kaufman, D.L., see Rocha, L., 111
Kim, K.S., see Mehta, P.D., 13
Kirschbaum, F., see Denizot, J.-P., 103
Kleingers, M., see Gross, M., 83
Knappenberger, B., see Meyer, T., 68
Korf, J., see Postigo, J.A., 107
Koury, E.J., see Engber, T.M., 95
Kramis, R.C., see Gillette, R.G., 45
Krugers, H.J., see Postigo, J.A., 107
Kunugi, H., Hattori, M., Ueki, A., Isse, K., Hirasawa, H., Nanko, S., Possible association of missense mutation ($Gly^{-63}Glu$) of the neurotrophin-3 gene with Alzheimer's disease in Japanese, 65
Kurokawa, M., Ohsuga, K., Kuwasawa, K., A reexamination of the synaptic connection between neuron L7 of the abdominal ganglion and neurons of the branchial ganglion in *Aplysia californica*, *A. kurodai* and *A. juliana*, 49
Kuwasawa, K., see Kurokawa, M., 49

Lücking, C.H., see Köster, B., 135
Larmet, Y., see Brechenmacher, C., 159
Larriva-Sahd, J., Orozco-Estévez, H., Condés-Lara, M., Perinatal administration of testosterone induces hypertrophy of the anterior commissure in adult male and female rats, 119
Lauk, M., see Köster, B., 135
Lebrun, C.J., see Blume, A., 87
Lee, T., see He, Y., 1
Leong, S.K., see He, Y., 1
Li, W., see Zheng, T., 139
Liebau, S., see Meyer, T., 68
Ludolph, A.C., see Meyer, T., 68

Möllenhoff, E., see Blume, A., 87
Müller-Spahn, F., see Hock, C., 151
Münch, C., see Meyer, T., 68
Münte, T.F., see Gross, M., 83
Mak, Y.T., see Chen, L., 33
Makino, K., see Mori, H., 99
Malan, Jr., T.P., see Bian, D., 79
Mallardi, F., see Crivellato, E., 123
Masserano, J.M., see Smith, C.S., 71
Masuo, Y., see Fukuhara, C., 115
Matsumoto, Y., see Fukuhara, C., 115
Matta, S.G., see Fu, Y., 147
Meßmer, K., Reynolds, G.P., Increased peripheral benzodiazepine binding sites in the brain of patients with Huntington's disease, 53
Mehta, P.D., Dalton, A.J., Mehta, S.P., Kim, K.S., Sersen, E.A., Wisniewski, H.M., Increased plasma amyloid β protein 1–42 levels in Down syndrome, 13
Mehta, S.P., see Mehta, P.D., 13
Melliti, K., see Bournaud, R., 163
Messahel, S., Pheasant, A.E., Pall, H., Ahmed-Choudhury, J., Sungum-Paliwal, R.S., Vostanis, P., Urinary levels of neopterin and biopterin in autism, 17
Meyer, T., Münch, C., Knappenberger, B., Liebau, S., Völkel, H., Ludolph, A.C., Alternative splicing of the glutamate transporter EAAT2 (GLT-1), 68
Miller, M.S., see Engber, T.M., 95
Mori, H., Arai, T., Ishii, H., Adachi, T., Endo, N., Makino, K., Mori, K., Neuroprotective effects of pterin-6-aldehyde in gerbil global brain ischemia: comparison with those of α-phenyl-*N*-*tert*-butyl nitrone, 99
Mori, K., see Mori, H., 99

Nanko, S., see Kunugi, H., 65
Ng, H.K., see Chen, L., 33
Niemi-Junkola, U.J., Westby, G.W.M., Spatial variation in the effects of inactivation of substantia nigra on neuronal activity in rat superior colliculus, 175

Ohsuga, K., see Kurokawa, M., 49
Orozco-Estévez, H., see Larriva-Sahd, J., 119
Ossipov, M.H., see Bian, D., 79
Otten, U., see Hock, C., 151

Pall, H., see Messahel, S., 17
Pang, C.P., see Chen, L., 33
Pearlstein, E., Clarac, F., Cattaert, D., Neuromodulation of reciprocal glutamatergic inhibition between antagonistic motoneurons by 5-hydroxytryptamine (5-HT) in crayfish walking system, 37
Pereira, A.M., see Scott, C.J., 29
Pheasant, A.E., see Messahel, S., 17
Porreca, F., see Bian, D., 79
Postigo, J.A., Van der Werf, Y.D., Korf, J., Krugers, H.J., Altered expression of the cell cycle regulatory protein cyclin D1 in the rat dentate gyrus after adrenalectomy-induced granular cell loss, 107

Qiao, J.T., see Zhang, R.X., 57

Rawson, J.A., see Scott, C.J., 29
Reiche, D., Schemann, M., Ascending choline acetyltransferase and descending nitric oxide synthase immunoreactive neurones of the myenteric plexus project to the mucosa of the guinea pig gastric corpus, 61

Reuss, S., Rimoldi, S., Circadian rhythm and effects of light on cAMP content of the dwarf hamster suprachiasmatic nucleus, 131
Reynolds, G.P., see Aparicio-Legarza, M.I., 143
Reynolds, G.P., see Meßmer, K., 53
Rimoldi, S., see Reuss, S., 131
Roberts, W.J., see Gillette, R.G., 45
Rocha, L., Kaufman, D.L., In vivo administration of c-Fos antisense oligonucleotides accelerates amygdala kindling, 111
Rodeau, J.-L., see Brechenmacher, C., 159
Rosenberg, C., see Hock, C., 151
Rosenberg, J.R., see Halliday, D.M., 5
Ruda, M.A., see Zhang, R.X., 57

Say, T., see Gross, M., 83
Schemann, M., see Reiche, D., 61
Schugardt, C., see Denizot, J.-P., 103
Scott, C.J., Rawson, J.A., Pereira, A.M., Clarke, I.J., The distribution of estrogen receptors in the brainstem of female sheep, 29
Sei, Y., Fossom, L., Goping, G., Skolnick, P., Basile, A.S., Quinolinic acid protects rat cerebellar granule cells from glutamate-induced apoptosis, 180
Seifert, K., see Blume, A., 87
Sersen, E.A., see Mehta, P.D., 13
Sharp, B.M., see Fu, Y., 147
Shimahara, T., see Bournaud, R., 163
Siegler, I., see Ivanenko, Y.P., 167
Skolnick, P., see Sei, Y., 180
Smith, C.S., Wyatt, R.J., Masserano, J.M., Nitric oxide induces cell death in a catecholaminergic cell line derived from the central nervous system, 71
So, K.-F., see Yick, L.-W., 155
Soldano, F., see Crivellato, E., 123
Sotgiu, M.L., Biella, G., Spinal neuron sensitization facilitates contralateral input in rats with peripheral mononeuropathy, 127
Stanford, J.A., Fowler, S.C., At low doses, harmaline increases forelimb tremor in the rat, 41
Stewart, J.K., see Andreassi II, J.L., 75
Sungum-Paliwal, R.S., see Messahel, S., 17

Timmer, J., see Köster, B., 135
Travan, L., see Crivellato, E., 123
Tsujimoto, G., see Fukuhara, C., 115

Ueki, A., see Kunugi, H., 65
Unger, T., see Blume, A., 87

Völkel, H., see Meyer, T., 68
Valentine, J.D., see Fu, Y., 147
Van der Werf, Y.D., see Postigo, J.A., 107
Viaud-Delmon, I., see Ivanenko, Y.P., 167
Vostanis, P., see Messahel, S., 17

Westby, G.W.M., see Niemi-Junkola, U.J., 175
Winter, J., Brain derived neurotrophic factor, but not nerve growth factor, regulates capsaicin sensitivity of rat vagal ganglion neurones, 21
Winter, T., see Köster, B., 135
Wisniewski, H.M., see Mehta, P.D., 13
Wong, S.-Y., see Yick, L.-W., 155
Woo, J., see Chen, L., 33
Wu, W., see Yick, L.-W., 155
Wyatt, R.J., see Smith, C.S., 71

Yew, J.Y., see Gold, B.G., 25
Yick, L.-W., Wu, W., So, K.-F., Wong, S.-Y., Time course of NOS expression and neuronal death in Clarke's nucleus following traumatic injury in adult rat spinal cord, 155

Zeleny-Pooley, M., see Gold, B.G., 25
Zhang, A., see Zheng, T., 139
Zhang, R.X., Ruda, M.A., Qiao, J.T., Pre-emptive intrathecal Mk-801, a non-competitive *N*-methyl-D-aspartate receptor antagonist, inhibits the up-regulation of spinal dynorphin mRNA and hyperalgesia in a rat model of chronic inflammation, 57
Zheng, T., Li, W., Zhang, A., Altura, B.T., Altura, B.M., Staurosporine and H7 attenuate ethanol-induced elevation in $[Ca^{2+}]_i$ in cultured canine cerebral vascular smooth muscle cells, 139
Zhong, C., see Bian, D., 79